



## Ambulant Back To Wall Toilet Suite

SKU#: TS-2014

**\$455.20**

~~\$569~~

### ADDITIONAL ACCESSORIES



Length: 650mm

Width: 370mm

Height: 915mm

Seat & Lid: Superior Hardened, Ultra-Thin, Soft Closing & Easy Release

Flush: R&T Universal (top or bottom inlet)

Dual flush button - 4.5 Lt per flush, 3.1 Lt per half flush, 3.4 Lt average flush

Pan: Rimless Hygiene

Features: Can be installed to comply with AS1428.1

Accreditation: AU Standard WMK, WELS 4 Star rated

WELS Registration: L07580

Warranty: 7 Year Product Warranty\*

The Ambulant Back To Wall Toilet is a stylish and impressive toilet suite, featuring a streamlined, rimless design and white gloss finish. This toilet can be installed to comply with AS1428.1 and used as an ambulant toilet for residential and commercial properties. The height of the toilet pan is extended for easier access. The short projection is perfect for installing in small and tight spaces.

The rimless design combined with a direct flush technique provides a more efficient clean, stopping the build-up of grime, bacteria and limescale that would be found in toilets with a rim. Its design is unique and an additional statement piece for your bathroom.

P Trap - 180mm


S Trap - 90-190mm range P to S Trap converter (included)


See item image for specification information

\* inwall cisterns, valves, seats, button assembly, links, flush pipes and other internal components which carry a 3 year replacement warranty.

\*Please note that for ceramic products, specifications must allow +/- 10 mm tolerance for manufacturing variance, it is recommended to use measurements of the actual product received. Colours displayed online may appear different due to screen settings.

\*Please note that for ceramic products, specifications must allow +/- 10 mm tolerance for manufacturing variance, it is recommended to use measurements of the actual product received. Colours displayed online may appear different due to screen settings.





Ambulant Back To Wall Toilet Suite

| TS-2014